

## LITTERATURINFORMASJON

(Artikler i Rangifer er ikke listet)

### 1. Nye søk.

- B.**  
Trichophyton infection in reindeer.  
Baradiev, B. N. 1981. - Byulleten Vsesoyuznogo Inst. Eksperimental'noi Veterinariii. 42: 18 - 20. (på russisk). (CAB)
- Aspects of nasal heat exchange in resting reindeer (*Rangifer tarandus tarandus*).  
Blix, A. S., Johnsen, H. K. 1983. - J. Physiol. 340 (0): 445 - 454.
- E.**  
Studies on the protein composition of milk from reindeer (*Rangifer tarandus*).  
Ekstrand, B., Larsson-Raznikiewicz, M. 1982. - Swedish Journal of Agr. Res. 12 (4): 149 - 155. (CAB)
- F.**  
Movements and activity budgets of Caribou (*Rangifer tarandus granti*) near oil drilling sites in the Sagavanirktok River flood plain, Alaska, U.S.A.  
Fancy, S. G. 1983. - ARCTIC 36 (2): 193 - 197.
- G.**  
Shedding of *Hammondia heydorni*-like oocysts by foxes fed muscular tissue of reindeer (*Rangifer tarandus*).  
Gjerde, B. 1983. - Acta Veter. Scand. 24 (2): 241 - 243.
- H.**  
On the population biology of *Elaphostrongylus rangiferi* nematoda in reindeer (*Rangifer tarandus tarandus*).  
Halvorsen, O., Anderson, R. M. 1982. - Proc. of the 5th Int. Congr. Parasitol., Toronto, Canada 1982. Mol. Biochem. Parasitol. 0 (Suppl.) 469 - 470. (BIOSIS)
- The influence of temperature on growth and development of the nematode *Elaphostrongylus rangiferi* in the gastropods *Arianta arbustorum* and *Euconulus fulvus*.  
Halvorsen, O., Skorping, A. 1982. - OIKOS 38 (3): 285 - 290.
- Effects of winter grazing by reindeer on vegetation.  
Helle, T., Aspi, J. 1983. - OKIOS 40 (3): 337 - 343.
- I.**  
*Trichophyton verrucosum*, the cause of dermatomycosis in reindeer.  
Ivanova, L. G. 1981. - Byulleten Vsesoyuznogo Inst. Eksperimental'noi Veterinariii. 42: 23 - 24. (På russisk). (CAB)
- L.**  
Effects of volatile fatty-acids and ketone bodies on lipolysis in isolated adipocytes from Norwegian reindeer (*Rangifer tarandus*)  
Larsen, T. S., Nilsson, N. O., Blix, A. S. 1983. - Acta Physiol. Scand. 117 (3): 451 - 456.
- Species identification of deer blood by isoelectric focusing.  
Lawton, M. E., Sutton, J. G. 1982. - J. of Forensic Sei. Soc. 22 (4): 361 - 366. (CAB)
- M.**  
Nursing and associated behavior of peary caribou (*Rangifer tarandus pearyi*).  
Miller, F. L., Gunn, A. 1982. - Can. Field. Nat. 96 (2): 200 - 202. (BIOSIS)
- Photosynthetic recovery in arctic caribou forage lichens following a longterm field sulfur dioxide fumigation.  
Moser, T. J., Nash, T. H. Iii, Olafsen, A. G. 1983. - Can. J. Bot. 61 (1): 367 - 370. (BIOSIS)
- R.**  
Reproduction in wild reindeer (*Rangifer tarandus tarandus*) in Norway.  
Reimers, E. 1983. - Can. J. Zool. 61 (1): 211 - 217.
- Body composition of Svalbard reindeer.  
Reimers, E., Ringberg, T., Sørungård, R. 1982. - Can. J. Zool. 60 (8): 1812 - 1821.
- Effects of castration on growth and food intake cycles in young male reindeer (*Rangifer tarandus tarandus*).  
Ryg, M., Jacobsen, E. 1982. - Can. J. Zool. 60 (5): 942 - 945.
- Relationships between hormone induced and compensatory weight changes in reindeer (*Rangifer tarandus tarandus*).  
Ryg, M. 1983. - Comp. Biochem. Physiol. 74A (1): 33 - 35.
- S.**  
A study of the helminth fauna of domestic deer in the Buryat ASSR.  
Shagraev, M. A., Zhaltsanova, D. S. D. 1980. - Publ.: Ulan- Ude, USSR; Akademiya Nauk SSSR, Sibirskoe Otdelenie, Buryatski Filial, 128 - 130. (På russisk). (CAB)

## T.

Piroplasmosis of reindeer and its control.

Tashkinov, N. I. 1982. - Trudy Vsesoyuznogo Instituta Eksperimental'noi Veterinarii. 56: 54 - 57. (På russisk). (CAB)

## W.

Foraging patterns and their multiplier effects on productivity of northern ungulates.

White, R. G. 1983. - OIKOS 40 (3): 377 - 384.

Osteological measurements and some remarks on the evolution of the Svalbard reindeer (*Rangifer tarandus platyrhincus*).

Willemsen, G. F. 1983. - Z. Säugetierkd. 48 (3): 175 - 185. (BIOSIS)

## Z

Seasonal differences in metabolism and thermoregulation fo *Rangifer tarandus*.

Zegal, A. N. 1983. - Zool Zh 62 (3): 425 - 430 (på russisk) (BIOSIS)

## Å

Environmental radioactivity in Greenland in 1981.

Aarkrog, A., Dahlgard, H., Holm, E., Hansen, H., Lippert, J., Nilsson, K. 1982. - Riso Report 1982. No. 471. (CAB).

## 2. Tidligere søk.

## K.

Teknikk ved føring av rein. Fri førtilgang sammenlignet med begrenset føring.

Kosmo, A., Jacobsen, E., Skjenneberg, S. 1978. - Meld. Norges Landbr. høgskole. 57 (40): 1-19.

Undersøkelser over reinbeitenes produksjonsevne.

Grasmark. Bra myr. Bjørk og vierkratt. Blåbærlyngmark. Urterik mark.

Kosmo, A., Skjenneberg, S. 1978. - Forskning og Forsøk i Landbr. 29 (2): 97-120.

Some theoretical and applied aspects of radio ecology.

Kulikov, V.N., Tikhomirov, F.A. 1978. - Sovj. J. Ecology (Engl. transl. Ekologiya) 9 (3): 203-207. (BIOSIS)

Contagous ecthyma in reindeer, *Rangifer tarandus tarandus*.

Kummeneje, K. 1979. - Vet. Rec. 105 (3): 60-61.

Anti parasitic effect of tetramisole on reindeer (*Rangifer tarandus tarandus*).

Kurkela, P., Kaantee, E. 1978. - Zentr. Bl. Vet. Med., Reihe 25 (1): 81-87.

The selenium content of skeletal gluteal muscle of Finnish reindeer and cattle.

Kurkela, P., Kaantee, E. 1979. - Zentr. Bl. Vet. Med. Reihe 26 (3): 169-173.

## L.

*Elaphostrongylus cervi*; *Nematoda Metastrongyloidea*, in caribou (*Rangifer tarandus caribou*) of Newfoundland, Canada.

Lankester, M.W., Northcott, T.H. 1979. - Can. J. Zool. 57 (7): 1384-1392.

Age related changes in the testicular and antler cycles of reindeer, *Rangifer tarandus*.

Leader-Williams, N. 1979. - J. Repr. Fertil. 57 (1): 117-126.

Abnormal testes in reindeer, *Rangifer tarandus*.

Leader-Williams, N. 1979. - J. Repr. Fertil. 57 (1): 127-130.

Age determination of reindeer (*Rangifer tarandus*) into South Georgia.

Leader-Williams, N. 1979. - J. Zool. (Lond). 188 (4): 501-516.

Natural economic and administrative factors in the development of Lappish reindeer herding in central Lapland, Finland.

Lenstra, M. 1978. - Boreal Inst. North. Stud. Univ. Alberta., Occas. Publ. (14): 43-55. (BIOSIS)

Use of indicator muscles and bones for the estimation of body composition in reindeer.

Luick, J.R., White, R.G., Holleman, D.F. Ringberg, T. 1978. - Physiologist 21 (4): 73. (BIOSIS)

Seasonal changes in serum levels of aldo sterone, cortisol and inorganic ions in the reindeer (*Rangifer tarandus*).

Lund-Larsen, T.R., Kofstad, J., Aakvaag, A. 1978. - Comp. Biochem. Physiol. A. Comp. Physiol. 60 (4): 383-386. (BIOSIS)

## M.

Keskisen poronhoitalueen talvilaitumien inventointi. Inventory of winter ranges of semidomestic reindeer in Finnish Central Lapland.

Mattila, E., Helle, T. 1978. - Folia Forestalia. Inst. Forestale Fenniae. No. 358, 31 pp. (Finsk m/eng. sammendrag). (CAB)

Inter island movements of Peary caribou south of Viscount Melville Sound, Northwest Territories.

Miller, F.L., Gunn, A. 1978. - Can. Field. Nat. 92 (4): 327-333. (BIOSIS)

- Responses of Peary caribou and muskoxen to turbo-helicopter harassment, Prince of Wales Island, Northwest Territories 1976-1977.  
Miller, F.L., Gunn, A. 1979. - Can. Wildl. Serv., Occ. Pap. 40. Cat. No. C.W. 69-1/40. 90 pp.
- Lichens of Anaktuvuk Pass, Alaska with emphasis on the impact of caribou grazing.  
Moser, T.J., Nash, T.H., Thomson, J.W. 1979. - Bryologist 82 (3): 393-408. (BIOSIS)
- Responses of reindeer to interdigital secretions of conspecifics.  
Müller-Schwarze, D., «ällquist, L., Mossing, T., Brundin, A., Andersson, G. 1978. - J. Chem. Ecol. 4 (3): 325-336. (BIOSIS)
- Social behaviour and chemical communication in reindeer (*Rangifer tarandus tarandus*).  
Müller-Schwarze, D., Källquist, L., Mossing, T. 1979. - J. Chem. Ecol. 5 (4): 483-518.
- O.**
- Lichen grounds of Finnmarksvidda, northern Norway, in relation to summer and winter grazing by reindeer.  
Oksanen, L. 1978. - Ann. Univ. Turk. Ser. A II. Biol.-Geogr.-Geol. (60): 64-71. (BIOSIS)
- Studies on keratitis in reindeer. Part 1. An apparatus and procedure for simulating solar UV irradiation of animals.  
Ottosson, A., Reh binder, C., Lindberg, P., Möll, F. 1978. - Zentr. Bl. Veterinärmed. Reihe A, 25 (1): 48-56.
- P.**
- Spring herd Kautokeino, Norway 1961.  
Paine, R. 1979. - Ethnos 43 (3-4): 122-145. (BIOSIS)
- The diets of musk oxen and Peary caribou on some islands in the Canadian high arctic.  
Parker, G.R. 1978. - Can. Wildl. Serv. Occas. Pap. 35: 6-19. (BIOSIS)
- A numerical snow index for reindeer (*Rangifer tarandus*) winter ecology.  
Pruitt, W.O. Jr. 1979. - Ann. Zool. Fenn 16 (4): 271-280.
- Log licking and gnawing by the reindeer (*Rangifer tarandus tarandus*).  
Pulliainen, E. 1978. - Aquilo Ser. Zool. 18: 71-74. (BIOSIS)
- R.**
- Herbicide residues on cowberries (*Vaccinium vitis-idaea*), bilberries (*Vaccinium myrtillus*), and lichens in controlled grounds spraying experiments on woodland.  
Raatikainen, M., Siltanen, H., Rosenberg, C., Raatikainen, T., Mukula, J. 1979. - Ann. Agric. Fenn. 18 (2): 112-116. (BIOSIS)
- Inbreeding and juvenile mortality in small population of ungulates.  
Ralls, K., Brugger, K., Ballou, J. 1979. - Science (Wash. D.C.) 206 (4422), 1101-1103. (BIOSIS)
- Brucellosis in reindeer (*Rangifer tarandus*) inoculated experimentally with *Brucella suis* type 4.  
Rausch, R.L., Huntley, B.E. 1978. - Can. J. Microbiol. 24 (2): 129-135. (BIOSIS)
- Studies on keratitis in reindeer. Part 2. Experimentally induced keratitis in mice.  
Reh binder, C., Möll, F., Glatthard, V., Ottosson, A. 1978. - Zentr. Bl. Vet. Med. Reihe A. 25 (2): 89-109.
- Studies on keratitis in reindeer. Part 3. Experimentally induces keratitis in reindeer.  
Reh binder, C., Glatthard, V., Möll, F., Ottosson, A. 1978. - Zentr. Bl. Vet. Med. Reihe A. 25 (2): 110-128.
- Investigation on parasitic visceral granulomas in reindeer.  
Reh binder, C., Edquist, L.-E. 1979. - Nord. Vet. Med. 31: 282-283.
- Effect of seasons and weather conditions on morphological and functional indices of the thymus in reindeer during ontogenesis.  
Reshetnikov, I.S. 1978. - Dokl. Vses Ordena Lenina Akad. S-kh Nauk Im V I Lenina (6): 33-35. (På russisk). (BIOSIS)
- Survival strategies in Spitsbergen reindeer.  
Ringberg, T. 1978. - Physiologist. 21 (4): 99.
- Seasonal changes in levels of growth hormone, somatomedin and thyroxine in free ranging semi-domesticated Norwegian reindeer (*Rangifer tarandus tarandus*).  
Ringberg, T., Jacobsen, E., Ryg, M., Krog, J. 1978. - Comp. Biochem. Physiol. A. Comp. Physiol. 60 (2): 123-126.
- The Spitsbergen reindeer - a winter dormant ungulate?  
Ringberg, T. 1979. - Acta Physiol. Scand. 105 (3): 268-273.

- Behavioural patterns of barren-ground caribou of the central arctic herd adjacent to the Trans-Alaska Oil Pipeline.  
Roby, D.D. 1978. - M.S. Thesis, Univ. Alaska, Fairbanks, Alaska. 200 pp.
- S.**
- Regional epizootiology of echinococcosis and *Alveococcus multilocularis* infection in the Yakutsk - ASSR RSFSR, USSR.  
Safronov, M.G., Isakov, S.I., Olesova, K.S. 1979. - Veterinariya 0 (11): 48-49. (På russisk). (BIOSIS)
- Fire and caribou in northern Canada.  
Scotter, G.W. 1978. - In: Fire ecology in resource management. Workshop proceedings, December 6-7, 1977. Inf. Rep. Northern Forest Res. Centre, Canada. No. NOR-X-210. (CAB)
- Development of some physiological characteristics during the 1st month of life in the reindeer.  
Segal, A.N. 1978. - Zool. Zhurnal 57 (6): 944-948. (På russisk). (BIOSIS)
- Diet of Peary caribou, Banks Island, Northwest Territories, Canada.  
Shank, C.C., Wilkinson, P.F., Penner, D.F. 1978. - Arctic 31 (2): 125-132. (BIOSIS)
- Accretion of fodder lichens and their distribution in the northern Yenisei region.  
Schelkunova, R.P. 1979. - Bot. Zhurnal (Leningr.) 64 (8): 1111-1121. (På russisk). (BIOSIS)
- Multiple molecular forms of reindeer liver carboxyl esterase EC-3.1.1.1.  
Shubin, L.N., Vrona, E.N., Mongaleva, L.D., Efimtseva, E.A. 1979. - Dokl. Biochem. (Engl. transl. Dokl. Akad. Nauk SSSR, Ser. Biokhim) 245 (1-6): 90-93. (BIOSIS)
- Amino acid and lipid composition of reindeer antlers.  
Silaev, A.B., Razmakhnin, V.E., Cheltsova-Bebutova, G.V., Urinyuk, V.M., Sukhareva-Nemakova, N.N. 1978. - Vestn. Mosk. Univ. Ser. XVI Biol. (3): 68-71. (På russisk). (BIOSIS)
- Kaminuriak caribou herd inter jurisdictional problems.  
Simmons, N.M., Heard, D.C., Calef, G.W. 1979. - In: K. Sabol (Ed.). Trans. of the 44th North Am. Wildl. and Nat. Res. Conf. 1979. Wildl. Management Inst., Wash. D.C. Paper 0 (0): 102-113. (BIOSIS)
- Virkningen av medikamentell behandling mot rundmark på reinkalvenes utvikling.  
Skjenneberg, S., Bjarghov, R.S., Jacobsen, E., Kummeneje, K. 1978. - Statens Reinforsøk, Forsøksrapport nr. 10. (stens.).
- Characteristics of the snow cover and its relationship to wild mountain reindeer (*Rangifer tarandus tarandus*) feeding strategies.  
Skogland, T. 1978. - Arct. Alp. Res. 10 (3): 569-580. (BIOSIS)
- Economic uncertainty in an original affluent society caribou and caribou eater Chipewyan adaptive strategies.  
Smith, J.G.E. 1978. - Arct. Anthropol. 15 (1): 688-88. (BIOSIS)
- Plasma concentrations of testosterone and luteinizing hormone in rutting reindeer bulls, (*Rangifer tarandus*).  
Stokkan, K.-A., Hove, K., Carr, W.R. 1980. - Can. J. Zool. 58 (11): 2081-2083. (BIOSIS)
- Genetic markers in the Spitsbergen reindeer.  
Storset, A., Olaisen, B., Wika, M., Bjarghov, R. 1978. - Hereditas 88 (1): 113-116. (BIOSIS)
- Comparison of the digestive tract in Svalbard reindeer (*Rangifer tarandus platyrhyncus*) and Norwegian reindeer (*Rangifer tarandus tarandus*).  
Staaland, H., Jacobsen, E., White, R.G. 1979. - Arct. Alp. Res. 11 (4): 457-466.
- Dietary influences on sodium and potassium metabolism of reindeer, *Rangifer tarandus*.  
Staaland, H., White, R.G., Luick, J.R., Holleman, D.F. 1980. - Can. J. Zool. 58 (10): 1728-1734.
- Deer fibroma: a review.  
Sundberg, J.P., Nielsen, S.W. 1981. - Can. Vet. J. 22 (12): 385-388. (CAB)
- The effect of economic change on the ecology culture and politics of reindeer Saamis in Sweden.  
Svensson, T.G. 1978. - Boreal Inst. North. Stud. Univ. Alberta, Occ. Publ. (14): 215-234. (BIOSIS)
- T.**
- Distribution and numbers of the Kaminuriak caribou herd in March and April 1977.  
Thompson, D.C., Fischer, C.A. 1979. - Arctic 32 (3): 266-274. (BIOSIS)

- In vitro digestibilities of plants in rumen fluids of peary caribou, *Rangifer tarandus pearyi*.  
**Thomas, D.D., Kroeger, P.** 1980. - Arctic 33 (4): 757-767. (BIOSIS)
- Numbers and distribution of caribou (*Rangifer tarandus*) on the Boothia peninsula, North-West Territories, Canada.  
**Thompson, D.C., Fischer, C.A.** 1980. - Can. Field Nat. 94 (2): 171-174. (BIOSIS)
- Caribou (*Rangifer tarandus*) habitat mapping in the southern district of Keewatin, North-West Territories, Canada. An application of digital Landsat data.  
**Thompson, D.C., Klassen, G.H., Cihlar, J.** 1980. - J. Appl. Ecol. 17 (1): 125-138. (BIOSIS)
- Seasonal diets of the Porcupine caribou (*Rangifer tarandus grantii*) herd.  
**Thompson, D.C., McCourt, K.H.** 1981. - Am Midl. Nat. 195 (1): 70-76. (BIOSIS)
- Reindeer pulmonary circulation as a model for studying the development of pulmonary hypertension.  
**Timisjärvi, J., Hironen, L.** 1980. - Meeting on pulmonary circulation III, Prague, 1979. Bull. Physiopathol. Respir. 16 (1): 30P-31P. (BIOSIS)
- The blood circulation of the reindeer.  
**Timisjärvi, J.** 1978. - Acta Univ. Oul. Ser. D 36, Medica. Pharmac. & Physiol. (7), 45 pp.
- Left ventricular volumes and functioning of the reindeer heart.  
**Timisjärvi, J.** 1978. - Basic Res. Cardiol. 73 (4): 355-364. (BIOSIS)
- Pulmonary circulation in the reindeer.  
**Timisjärvi, J., Hirvonen, L.** 1978. - Basic Res. Cardiol. 73 (5): 497-505.
- Electrocardiogram of the reindeer (*Rangifer tarandus tarandus*).  
**Timisjärvi, J., Hirvonen, L., Järvinen, P., Nieminen, M.** 1979. - Lab. Anim. 13 (3): 183-186.
- The effect of forage structure and availability on food intake, biting rate, bite size and daily eating time of reindeer (*Rangifer tarandus tarandus*).  
**Trudell, J., White, R.G.** 1981. - J. Appl. Ecol. 18 (1): 63-82. (BIOSIS)
- Lavgransking på Hardangervidda 1951-1979. Tilvekst og avbeiting i lavheisamfunnene. En gransking for praktisk-økonomiske formål. A lichen investigation on Hardangervidda 1951-1979. Regrowth and grazing in lichen communities. An investigation with practical economic implications.  
**Tveitnes, A.** 1980. - Forskning og Forsøk i Landbruket 31 (5): 284-367.
- V.
- Epidemiologic importance of natural foci of brucellosis.  
**Vershilova, P.A., Aslanyan, R.G.** 1980. - Vestn Akad. Med. Nauk SSSR 0 (10): 67-71. (På russisk?). (BIOSIS)
- Public meat inspection - Offentlig kjøttkontroll. - I: Veterinærstatistikk 1979. Statistisk Sentralbyrå, Oslo 1980.
- Reindeer farming, a potential of raw material for meat industry (Problem of pre-slaughtering aging).  
**Vystavnoi, A.I., Dolgushina, V.P.** 1981. - Miasnaia industriia SSSR (4): 44-45. (På russisk). (BIOSIS)
- W.
- Some changes in Lainiovuoma Sami reindeer management.  
**Whitaker, I.** - Ethnos 43 (3-4): 163-177. (BIOSIS)
- Energy expenditure in reindeer walking on roads and on tundra.  
**White, R.G., Yousef, M.K.** 1978. - Can. J. Zool. 56 (2): 215-223.
- In vitro studies of antler blood vessels.  
**Wika, M.** 1978. - Acta Physiol. Scand. 102 (1): 70A-71A.
- Reindeer forage plants in the early grazing season. Growth and nutritional content in relation to climatic conditions.  
**Warenberg, K.** 1982. - Acta Phytogeographica Suecica 70. 76 pp. (Theses).
- The warble fly problem in Alaska reindeer.  
**Washburn, R.H., Klebesadel, L.J., Palmer, J.S., Luick, J.R., Bleicher, D.P.** 1980. - Agroborealis 12 (1): 23-28. (CAB)
- Elaphostrongylus cervi* in Canada and New Zealand. An historical overview.  
**Watson, T.G.** - New Zeal. Zool. 7 (4): 604. (BIOSIS)

Habitat preference and forage consumption by reindeer (*Rangifer tarandus tarandus*) and caribou (*Rangifer tarandus granti*) near Atkasook, Alaska, USA.

**White, R.G., Trudell, J.** 1980. - Arct. Alp. Res. 12 (4): 511-530. (*BIOSIS*)

Ungulates on arctic ranges.

**White, R.G., Bunell, F.L., Gaare, E., Skogland, T., Hubert, B.** 1981. - In: L. C. Bliss, O.W. Heal and J.J. Moore (Eds.) Int. Biol. Progr. Vol. 25. Tundra ecosystems: A comparative analysis. XXXVII: 397-484.

Exhaustion in reindeer calves.

**Wika, M.** 1980. - The Scand. Physiol. Soc. Meet. 1979. Acta Physiol Scand. 108 (2): 50A.

## Z.

Reindeer diseases.

Bolezni severnykh olenei/-pod redaktsiei V.A. Zabrodina i A.Kh. Laisheva.

**Zabrodin, V.A., Laisheva, A.Kh.** - 1980. - Moskva 239 pp. (På russisk). (*BIOSIS*)

Immunogenic properties of reindeer strains of *Brucella*.

**Zabrodin, V.A., Zabrodina, E.F., Vagina,**

**L.A., Nikulina, V.I.** 1980. - Sibirskii vestnik sel'skokhoziaistvennoi nauki. (4): 63-68. (På russisk). (*BIOSIS*)

## Ø.

Om naturressurser, planering och konflikter. Ideer kring Abiskokonferansen 1981.

**Øberg, S., Hjort, A., Løfgren, K.-G., Weissglas, G., Abrahamsson, K.V.** 1982. - Markanvändning norr. Geografiska Institutionen, Umeå Universitet. 88 pp.

Rabies in Svalbard: Infection diagnosed in arctic fox, reindeer and seal.

**Ødegaard, Ø.A., Krogsrud, J.** 1981. - Veter. Rec. 109 (7): 141-142.

Solar heating of mammals. Observations of hair transmittance.

**Øritsland, N.A., Ronald, K.** 1978. - Int. J. Biometeorol. 22 (3): 197-201. (*BIOSIS*)

## Å.

Environmental radioactivity in Greenland in 1978.

**Aarkrog, A., Hansen, H., Lippert, J.** 1979. - Risø Report No. 405, 22 pp. (*CAB*)