

## LITTERATURINFORMASJON

- B.
- Antipredator strategies of caribou — dispersion along shorelines.  
Bergerud, A. T. 1985. — Ca. J. Zool. 63(6):1324-1329.
- Factors affecting the palatability of reindeer meat.  
Brooks, J. III. & Collins, W. B. 1984. — Agro-borealis 16(2):41-48.
- D.
- Immunity against brucellosis in reindeer. Inoculation with strain 19 vaccine (Immunitet protiv brutzella u severnykh olenei, privitykh vaktsinoi iz shtama 19).  
Davydov, N. N. & Lyskov, A. V. 1981 (?). — NAL:TRANS 30513. Translated from Russian, TT 81-53719 from Veterinariia 1967 No. 9:57 — 61.
- Hilltop aggregation sites and behavior of male *Cephenomyia trompe*.  
Downes, C. M., Smith, S. M., Theberge, J. B. & Dewar, H. J. 1985 — Can. Entomol. 117(3):321-326.
- E.
- Animal production: Reindeer.  
Epps, A. C. & Thomas, W. C. 1983. — In: Alaska rural Development Council: Cooperative Extension Service, University of Alaska (3): 157-164.
- F.
- Heat-balance in summer and winter-insulated reindeer during rest and exercise at different ambient temperatures.  
Folkow, L. P. & Mercer, J. B. 1985. — Acta. Physiol. Scand. 124, S 542: 401-401.
- G.
- Ultrastructure of the cysts of *Sarcocystis tarandi-vulpes* from skeletal muscle of reindeer, *Rangifer tarandus tarandus*.  
Gjerde, B. 1985. — Acta Vet. Scand. 26(1):91-104.
- The fox as a definitive host for *Sarcocystis rangi* from reindeer, *Rangifer tarandus tarandus*.  
Gjerde, B. 1985. — Acta Vet. Scand. 26(1):140-142.
- Ultrastructure of the cysts of *Sarcocystis grueneri* from cardiac muscle of reindeer (*Rangifer tarandus tarandus*).  
Gjerde, B. 1985. — Zeitschr. f. Parasitenkunde 71(2):189-198.
- Uptake of gaseous sulfur dioxide by the lichen *Cladina rangiferina*.  
Grace, B., Gillspie, T. J. & Puckett, K. J. 1985. — Can. J. Bot. 63(4):797-805.
- Sulfur dioxide threshold concentration values for *Cladina rangiferina* in the Mackenzie Valley.  
Grace, B., Gillespie, T. J. & Puckett, K. J. 1985. — Can. J. Bot. 63(4):806-812.
- J.
- Effects of total body cooling on nasal heat exchange in resting reindeer.  
Johnsen, H. K., Mercer, J. B., Mathiesen, S. D. & Blix, A. S. 1985. — Acta Physiol. Scand. 124, S542: 402-402.
- K.
- Seasonal photosynthetic capacity changes in lichens. A provisional mechanistic interpretation.  
Kershaw, K. A. 1984. — Lichenologist 16(2):145-171.
- New data on the epidemiology of taeniorhyncys infestation in regions of the Soviet far north based on observations in the Yamalo-Nenetsk national okrug — RSFSR, USSR.  
Kirichek, V. S., Beluosov, M. N., Nikitin, A. S. 1984. — Med. Parazitol Parazit Bolensi 0(6):27-33 (på russisk)
- Influence of ungulates on the renewal of conifers in the reservations of the south Primorski Krai — RSFSR, USSR.  
Kozin, E. K. 1984. — Byull. Moskova Ispyt. Prir. Odt. Biol. 89(6):4-9. (på russisk).
- L.
- Nasal heat exchange in a northern ungulate, the reindeer (*Rangifer tarandus*).  
Langman, V. A. 1985. — Respir. Physiol. 59(3):279-287.

- Seasonal changes in blood-lipids, adrenaline, noradrenaline glucose and insulin in Norwegian reindeer.  
**Larsen, T. S., Lagercrantz, H., Riemersma, R. A. & Blix, A. S.** 1985. — *Acta Physiol. Scand.* 124(1):53-59.
- Mechanisms involved in fat mobilization during winter in reindeer.  
**Larsen, T. S., Blix, A. S., Nilssen, K. J. & Belfrage, P.** 1985. — *Acta Physiol. Scand.* 124, S542:50-50.
- Effects of prolonged food restriction on some aspects of lipid-metabolism in Norwegian and Svalbard reindeer.  
**Larsen, T. S., Nilsson, N. O. & Blix, A. S.** 1985. — *Acta Physiol. Scand.* 124(2):173-180.
- M.  
Snowmobiles and the fate of the arctic caribou.  
**Mackenzie, D.**, 1985. — *New Scientist* 107(1473):22-22.
- Research in animal production in Finland.  
**Maijala, K.** 1983. — *Ann. Agric. Fenn.* 22(5):264-272.
- Evidence for an important digestive function of the cecum in the Svalbard reindeer.  
**Mathisen, S. D., Orpin, C. G. & Blix, A. S.** 1985. — *Acta Physiol. Scand.* 124, S542:88-88.
- Influence of range forage composition on the migratory behaviour of caribou in southern Newfoundland.  
**Meades, W. J.** 1985. — *Ecol. Soc. of America and Amer. Soc. of Limnology and Oceanography Joint Ann. Meeting* 13(9).
- Central control of expired air temperature and other thermo-regulatory effectors in reindeer.  
**Mercer, J. B., Johnsen, H. K., Blix, A. S. & Hotvedt, R.** 1985. — *Am. J. Physiol.* 248(6 part 2):679-685.
- The wolves of Mount McKinley.  
**Murie, A.** 1985. — University of Washington Press, Seattle, Wash. U.S.A. ISBN 0-295-96203-8. 238 pp.
- N.  
Seasonal changes in 3-5-3 triiodothyronine, free thyroxine and cortisol in free-ranging Svalbard reindeer.  
**Nilssen, K. J., Bye, K., Sundsfjord, J. A. & Blix, A. S.** 1985. — *Gen. Comp. Endocrinol.* 59(2):210-213.
- Short-time changes in plasma thyroid-hormone levels in captive Norwegian reindeer. Effects from food-intake.  
**Nilssen, K. J. & Sundsfjord, J. A.** 1985. — *Acta Physiol. Scand.* 124, S542:391-391.
- O.  
Seasonal changes in the ruminal microflora of the high-arctic Svalbard reindeer (*Rangifer tarandus platyrhyncus*).  
**Orpin, C. G., Mathiesen, S. D., Greenwood, Y. & Blix, A. S.** 1985. — *Applied and Environmental Microbiol.* 50(1):144-151.
- Lelevilkår for norske bestander av store rovdyr. Rovviltprosjektet 1980 — 1984 (Biology of the Norwegian populations of predatory animals. The predatory animals project 1980 — 1984).  
**Overskaug, K., Kvam, T. & Sørensen, O. J.** 1984. — In: **Sørensen, O. J. & Kvam, T.** (Eds.) *Viltrapport No. 34: 122-138. Direkt. for Vilt og Ferskvannsfisk.*
- The wolf in Wrangel Island, USSR.  
**Ovsyanikov, N. G., Kaz'min, V. D., Syroechovski, E. E. & Dorogoi, I. V.** 1984. — *Byull Moskova Ispyt. Prir. Otd. Biol.* 89(4):54-63 (på russisk).
- P.  
Brucellosis in reindeer (O brutselleze severnykh olenei).  
**Pinigin, A. F., Vyborov, F. P. & Petukhova, O. S.** 1981 (?). — *Veterinariia* 37(1):30-31 (1960) (translated from Russian. *DNAL Transl.* 31571).
- R.  
Virkninger av menneskelig aktivitet på rein og caribou. En litteraturstudie.  
**Reimers, E.** 1984. — VN-Rapport. NVE-Vassdragsdirektoratet. Natur- og Landskapsavdelingen, Oslo, Norway. ISBN 82-554-0398-1.

- Water relations and carbon dioxide flux into two congeneric reindeer lichen species of contrasting color.  
 Resnick, D. & Sveinbjornsson, B. 1985. — Ecological Soc. of America and Am. Soc. of Limnology and Oceanography Joint Annual Meeting 13(9).
- Behavior of West Greenland caribou during a population decline.  
 Roby, D. D. & Thing, H. 1985. — Holarctic Ecology 8(2):77-87.
- Genetic variability in Norwegian semi-domestic reindeer (*Rangifer tarandus* L.).  
 Roed, K. H. 1985. — Hereditas 102(2):177-184.
- Genetic differences at the transferrin locus in Norwegian semi-domestic and wild reindeer (*Rangifer tarandus* L.).  
 Roed, K. H. 1985. — Hereditas 102(2):199-206.
- Ammonia-like taint and creatine, creatinine and dimethylamine contents in reindeer meat.  
 Rogstadkjærnet, M. & Hansen, I. 1985. — Acta Veter. Scand. 26(1):143-144.
- Reindeer lichens (*Cladonia* subg. *Cladina*) in the herbarium Wallroth, Strasbourg.  
 Ruoss, E. & Ahti, T. 1985. — Nova Hedwigia 42(1-4):147-158.
- Winter range ecology of caribou (*Rangifer tarandus*).  
 Russel, D. E. & Martell, A. M. 1984. — In: Olson, R., Hastings, R. and Geddes, F. (Eds.) Northern ecology and resource management: Memorial essays honouring don Gill. ISBN 0-88864-047-1. O(O):117-144.
- Seasonal changes in the relationship between food intake and serum triiodothyronine in reindeer.  
 Ryg., M. 1984. — Comp. Biochem. Physiol., A(GBR) 78(3):427-429.
- S.  
 Deflation measurements on Hietevat Finnish Lapland.  
 Seppala, M. 1984. — In: Olson, R., Hastings, R. and Geddes, F. (Eds.) Northern ecology and resource management; Memorial essays honouring don Gill. ISBN 0-88864-047-1. O(O):39-50.
- Relationship of canopy mediated microlimate to the growth, distribution and biophysical properties of *Cladina rangiferina* (L.) and *Cladonia uncialis* (L.) Wigg in a northern Michigan forest.  
 Schloss, J. P., Teeri, J. A. & Tracy, C. R. 1985. — In: Ecological Soc. of America and Am. Soc. of Limnology and Oceanography Joint Annual Meeting. 13(9).
- Wild reindeer foraging niche organization.  
 Skoglund, T. 1984. — Holarctic Ecology 7(4):345-379.
- The effects of density dependent resource limitations on the demography of wild reindeer.  
 Skoglund, T. 1985. — J. Animal. Ecol. 54(2):359-374.
- Lymnea stagnalis* as experimental intermediate host for the protostrongylid nematode *Elaphosstrongylus rangiferi*.  
 Skorping, A. 1985. — Zeitschr. Parasitenkunde 71(2):265-270.
- Reactions of large groups of caribou to a pipeline corridor in the Arctic coastal plain of Alaska.  
 Smith, W. T. & Cameron, R. D. 1985. — Arctic 38(1):53-57.
- Trädlevande tagellavar som renbete. Kvantitativa undersökningar av några arter tillhörande släktena *Alectoria* och *Bryoria*.  
 Sparrevik, E. 1984. — Meddelanden från Växtbiologiska Institutionen, Uppsala, 1984, No. 3. 29 pp. ISSN 0348-1417.
- Seward Peninsula reindeer range.  
 Swanson, J. D. 1983. — In: Alaska Development Council: Cooperative Extension Service, University of Alaska, Dec. 1983 (3):165-168.
- The Park-Caribou plan: an example of intergrated planning.  
 Swanson, J. R. & Denniston A. E. 1985. — USDA Forest Service general technical report INT — Intermountain Forest and Range Experiment Station, Ogden, Utah: The Station Apr. 1985 (182):215-219.

- T.  
Search for latitudinal trends in the effective halv-life of fallout Cesium 137 in vegetation of the Canadian Arctic.  
Taylor, H. W., Hutchison-Benson, E. & Svoboda, J. 1985. — Can. J. Bot. 63(4):792-796.
- Effects of extracts from lichens on fungi. 1. Effect of aqueous extracts from *Cladina stellaris* and *Cladina rangiferina* on the growth of soil fungi.  
Tolopsheva, T. Yu. 1984. — Mikol Fitopatol. 18(4):287-293 (på russisk).
- U.  
Proposed land resource management plan for the Caribou National Forest.  
U. S. Forest Service, US Dept. of Agriculture, Forest Service, Ogden, Utah. 1984. Vol 1.
- Draft environmental impact statement for the Caribou National Forest; proposed land & resource management plan.  
U.S. Forest Service, U. S. Dept. of Agriculture, Forest Service, Ogden, Utah. 1984. vol. 2. App. O. Maps.
- Reviewer's guide for the Caribou National Forest: draft environmental impact statement & proposed land & resource plan.  
U. S. Forest Service., U.S. Dept. of Agriculture, Forest Service, Ogden, Utah. 1984. r-4p.
- V.  
Biological degradation of lichen acids in the soil.  
Vainshtein, E. A. & Ravinskaya, A. P. 1984. — Bot. Zh. (Leningr.) 69(10):1347-1351 (på russisk).
- Wolv predation on caribou — The Nelchina herd case history.  
Vallenbergh, V. 1985. — J. Wildlife Manage. 49(3):711-720.
- Atmopspheric background of chlorinated hydrocarbons studied in Swedish lichens.  
Villeneuve, J. P. & Holm, E. 1984. — Hemisphere, Oxford: Pergamon Press 13(10):1133-1138.
- W.  
Plasticity and constraints in the lactational strategy of reindeer and caribou.  
White, R. G. & Luick, J. R. 1984. — In: Peaker, M., Vernon, R. G. & Knight, C. H. (eds.) Symposia of the Zoological Soc. of London No. 51:215-232.